

IVAS
SLABS

**PYAAR SE GHAR
SAWARNE DO**
— Ghar Dhadakne Do —

GRANDIOSE
SLABS

800X2400 mm
800X3000 mm

Powered by
INFRA.MARKET

WHAT IS IVAS?

The name IVAS is derived from the Sanskrit word NIVAS, which signifies home where a family stays with love and togetherness.

At IVAS, we believe every home is alive and has a heart which beats. And we want you to feel the beat every time you enter your home. With every renovation, we infuse your home with the love and care you'd provide to any family member, ensuring it becomes a warm and welcoming space for you and your loved ones.

IVAS, India's newly launched building materials brand, offers a complete range of premium products like Tiles, Sanitaryware, Bath Fittings, Modular Kitchens, Appliances, Electricals and Designer Hardware.

Every family is unique
and so is their

NIVAS

IVAS

brings products to
personalize their Nivas

Discover the
Heartbeat
of your
Home with
IVAS!

#GharDhadakneDo!

I am delighted to partner with IVAS a pioneering brand revolutionizing the industry with its premium products to make your home beautiful.

IVAS Slabs seamlessly blends modernity with functionality, creating timeless masterpieces that transcend trends. Their passion lies in transforming ordinary spaces into extraordinary living experiences, redefining the heart of your home with innovation, elegance, and precision.

Welcome to the exquisite world of Slabs with IVAS.



Shilpa Shetty Kundra





GRANDIOSE

SLABS

01

800X
2400mm

GLOSSY

MATT

CARVING

02

800X
3000mm

GLOSSY

MATT

CARVING



GRANDIOSE

SLABS

The Grandiose range is an intelligent amalgamation of the most advanced technology and captivating designs, in large-size slabs. When laid out, they give the illusion of abundant, space in a kind of seamlessness seldom seen in slab design. The richness of colours, textures, the detailed veining and shading of marble, and natural stones come together in perfect harmony, to create the perfect space. But form is not where its story ends...

Grandiose is as much a paragon of performance as it is an embodiment of natural beauty. It's performance that remains unchanged, time after time. It's hygienic, durable, and super easy to clean and maintain.

Freedom to create:

Available in 2 sizes and 3 finishes, you could create designs you've only imagined thus far.

No one-size-fits-all solutions:

It's available in 2 grand sizes, as per your architectural and design needs.

Versatility in usage:

Ideal for your home in Kitchens, Living Rooms, Bathrooms, Bedrooms to Commercial Settings - Hotels, Offices, Shops.

GRANDIOSE

SLABS

800X
2400 mm

800X
3000 mm



TRANSFORM YOUR SPACE
WITH OUR VERSATILE TILE COLLECTION
AVAILABLE IN A RANGE OF SIZE
TO SUIT ANY DESIGN VISION.

We have curated some of our favourite collections and the latest global design trends to ignite your next project. For more inspiration, and to see our complete collection, visit us online ivas.homes or at one of our showrooms.

TECHNICAL FEATURES

Tiles are known for their durability, water resistance, and ease of maintenance. They come in various materials such as ceramic, porcelain, and natural stone, offering different levels of hardness and wear resistance. Tiles often feature slip resistance and also for exterior applications. They also vary in thickness, edge type in finish (glossy, matte, textured). Many tiles meet industry standards for quality and safety, making them suitable for diverse applications in residential, commercial, and industrial settings.



LIGHT
WEIGHT



HIGH TEMPERATURE
RESISTANT



WATER
PROOF



EASY TO
CLEAN



SCRATCH
RESISTANT



100%
NATURAL



UV RAYS
RESISTANT



RECYCLABLE





APPLICATION AREAS



KITCHEN
COUNTERTOP



VANITY
TOP



SHOWER
BASE



DINING
TABLE



DOOR &
WINDOW FRAME



TABLE
TOP



SHELVES



STAIRCASE



GRANDIOSE

SLABS

SIZE


800X
2400mm

800X
3000mm

THICKNESS

15mm


EDGE PROFILES



Double Straight
Rounded Edge




Straight Squared
Edge



Rounded Straight
edge



Double Straight
Squared Edge



Half Bullnose




Rounded Edge at 45°




Full Bullnose



Squared Edge at 45°



Demi Bullnose




Micro Bevel

JOINT POSSIBILITIES

Selecting the right tile edge profile depends on both functional requirements and aesthetic preferences.



Birds beak



45° corner



Soft corner

Create Your
Dream Kitchen
With Our
COUNTERTOPS





800X
2400mm

Using 15 mm thick tiles can be an excellent choice for areas requiring enhanced durability & strength, providing long-lasting.

THICKNESS



PEARL WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



WHITE SANTORINI

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



APUANE STATUARIO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



ARABESCATO GOLD

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




CALCATTÀ ELITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



CALCUTTA GOLD

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



CRYSTAL ONYX

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



CALACATTA ULTIMO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




CALACATTA ULTRA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



IMPERIAL WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



INVISIBLE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LILAC GOLD

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



MARBLE VOLAKAS

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



PEBBLE WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



STATUARIO CALACATTA

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




STATUARIO LUCIDATO

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



STATUARIO PEARL

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



STATUARIO NATURAL

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



TERRAZO WHITE

BODY
WHITE BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



ACRONGREY

BODY
GREY BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



GLISTER GREY

BODY
GREY BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



ROYAL ARMANI

BODY
GREY BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



DOVE GREY

BODY
GREY BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



GREY FLURRY

BODY
GREY BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



GREY ZINC

BODY
GREY BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



VERSACE GOLD

BODY
GREY BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



CEMENT FEEL

BODY
WALL STREET GREY BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



COCOA VENEER

BODY
BROWN BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



NATURAL PINE DARK

BODY
BROWN BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



SMOKE WALNUT

BODY
BROWN BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



NATURAL PINE LIGHT

BODY
ORANGE BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



LIGHT VENEER

BODY
IVORY BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



OAK NATURAL

BODY
IVORY BODY

FINISH
MATT

SIZE
800x3000 MM

THICKNESS
15 MM



AMBRATO GOLD PLAZMA

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



BLACK PEARL

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



BLUE PEARL

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM




DYNAMIC GOLD

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



EMERALD PEARL

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



FOREST GREEN

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



GOLDEN PORTORO

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



JET BLACK GLAZE

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LABRADOR BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LEMURIAN BLUE

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



LOURENT GOLD

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



MARQUINA BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



PORTORO BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



PIZARRA BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



PRETORIA BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



ROSE BLACK

BODY
BLACK BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



KOTA GREEN

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



SCABAS

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



DESERT GOLD

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



ESSEL BROWN

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



JET BLACK

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



WALL STREET GREY

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



SPARKLE WHITE

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



SPARKLE BLACK

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



SPARKLE GREY

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



ROCK WHITE

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



ROCK BLACK

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



ROCK GREY

BODY
COLOR BODY

FINISH
CARVING

SIZE
800x2400 MM

THICKNESS
15 MM



MOONROCK VERDE

BODY
FULL BODY

FINISH
MATT

SIZE
800x2400 MM

THICKNESS
15 MM




MOONROCK IVORY

BODY
FULL BODY

FINISH
MATT

SIZE
800x2400 MM

THICKNESS
15 MM



MOONROCK GREY

BODY
FULL BODY

FINISH
MATT

SIZE
800x2400 MM

THICKNESS
15 MM

SIZE

800x3000 MM

TPOLOGY


FULL BODY

FINISH

MATT

THICKNESS

15 MM



BASALT FEEL

SIZE

800x2400 MM
800x3000 MM

TYPOLOGY

FULL BODY

FINISH

MATT

THICKNESS

15 MM



GREYLITE FEEL

SIZE

800x2400 MM

800x3000 MM

TPOLOGY

FULL BODY

FINISH

GLOSSY / MATT

THICKNESS

15 MM



ICE QUEEN

SIZE

800x3000 MM

TPOLOGY


FULL BODY

FINISH

MATT

THICKNESS

15 MM



LAVA ROCK



SAGA WHITE

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



SAGA BARLEY

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



SAGA CHOCO

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO GREY SNP

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO BLACK FLAKES

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO BLACK SNP

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO BROWN FLAKES

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO BROWN SNP

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM



TERAZZO IVORY SNP

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM

SALT N PEPPER

IVAS
SLABS




TERAZZO VERDE SNP

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM




ROYAL QUARTZITE

BODY
FULL BODY

FINISH
GLOSSY

SIZE
800x2400 MM

THICKNESS
15 MM



GALAXY WHITE SNP

BODY
FULL BODY

FINISH
GLOSSY & MATT

SIZE
800x2400 MM

THICKNESS
15 MM

APPLICATIONS

Construction Industry:

Floor and wall coverings, partition and atorage wall, false cannas, suface frishes and testoration, Msulated partic, turtets and undergrounds.

Facade cladding systems:

Ventiated facades, coatings, external claddings

Interior design:

Surfaces of kitchen and bathroom tops, cupboard, tables, desks, doors and furnishings in general.

Composite and structural panels:

The slabs can be placed on top of each other or over other materials to create extremely light and particularly resistant composite and structural panels suitable in all those cases that require high resistance and reduced weight load on the surface.

QUALITY CONTROL

IVAS Tiles constantly controls the quality of its products during all the stages of production. The controls are carried out in full compliance with the ISO standard ISO 900t : 2024, ISO 14001: 2024 and ISO 450012018 which defines the requirements for the implementation of a quality management systems within an organisation. The corporate processes are geared to improve efficiency in the production and increase customer satisfaction.

Facade cladding systems:

Ventilated facades, coatings, external claddings.

Interior design:

Surfaces of kitchen and bothroom tops, cupboards, tables, desks, doors and furnishings in general.

Composite and structural panels:

The slabs can be placed on top of each other or over other materials to create extremely light and particularly resistant composite and structural pansies suitable in all those cases that require high resistance and reduced weight load on the surface.

CARE & MAINTENANCE

These are so-called final cleaning operations; this is the most important step, as it influences the results of the subsequent use of the product. Its purpose is to remove any trace or residue of foreign matter from the surface of the slabs. If you have used a cement based sealant during installation, once the grout has dried, IVAS Tiles recommends out the following operations.

Remove any coarse dirt using a vacuum cleaner.

Wet the floor with clean water in order to soak and protect the joints against the corrosive action of the detergent.

Clean using suitable acid detergent, which can be applied by hand (with a clean cloth) or with a machine (a single brush machine with medium, non-abrasive bristles or a high-pressure water cleaner)

Soak up the cleaning solution with a clean cloth or a suitable vacuum cleaner.

Thoroughly rinse surfaces with clean, warm water to neutralise the action of the detergent. Remove any build-up by scraping it off.

If needed, clean the surface again with the single-brush machine, using a diluted neutral or alkaline detergent, then rinse using clean warm water and dry.

If any epoxy sealant has been used during installation of the product, given the chemical nature of such product, any remaining residue on the porcelain tile's surface should be removed before the grout has hardened completely and carefully follow the instructions supplied by the manufacturer.



TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP	VALUES	TEST METHOD
-----------------	---	--------	-------------

REGULATORY PROPERTIES			
Deviation in Length & Width	0.50%	0.20%	ISO-10545-2
Deviation in Thickness	0.50%	0.20%	ISO-10545-2
Straightness of Sides	0.50%	0.20%	ISO-10545-2
Rectangularity	0.50%	0.20%	ISO-10545-2
Surface Flatness	0.50%	0.20%	ISO-10545-2
Color Difference	Unaltered	No Change	ISO-10545-2
Glossiness	As per Mfg.	90%	Glossmeter

STRUCTURAL PROPERTIES			
Water Absorption	<0.05%	<0.05%	ISO-10545-2
Apparent Density	>2.00 9/cc	>2.00 9/cc	DIN 5108

MASSIVE MECHANICAL PROPERTIES			
Modulus of Repture	Min.35NMH%	Min.35NMH%	ISO-10545-2
Breaking Strength	As per Mfg.	Min 0.55	DIN 5108

PACKAGING DETAILS				
SIZE (IN MM)	THICKNESS APPROX	PIECES (PER PACK)	COVERAGE AREA (SQ FT)	BOX WEIGHT (APPROX)
800X2400 MM	15MM	1	20,67	68 KG
800X3000 MM	15MM	1	25.83	84 KG



— Ghar Dhadakne Do —

Tiles | Quartz | Sanitaryware | Bath Fittings | Fans | Lighting
Appliances | Modular Kitchens | Laminates | Designer Hardware

HELLA INFRA MARKET LTD.

INFRA.MARKET HOUSE

Olethia Business Spaces, Road No 16Z, Opp.
Ashar IT Park, Wagle Industrial Estate,
Thane (W) 400604

+91 99000 80007 support@ivas.homes

www.ivas.homes

FACTORY ADDRESS

ENGISTONE INDIA PVT LTD

Wankaner Chotia Highway,
Village Lalpar, Gujarat- 363621

Powered by
INFRA.MARKET

